



product catalog

numeris[®]
by Digilock[®]

function
in every
form



Small Profile Cam Recess & Inside Mount

Keypad Camlock

features

- Operated by a user code or key
- Managed by Manager Bypass Keys
- All metal lock housing with handle
- Vertical and horizontal body orientation
- Visual and audible indicators
- Powered by 3 premium AA batteries
- 3-5 year battery life
- 2-year product warranty



recessed mount



inside mount

functionality

Numeris® by Digilock® small profile keypad camlocks function by entry of a user code and rotation of the handle. The interface also contains a key slot to operate locks with an ADA User Key.



In assigned use functionality, up to 20 access credentials (code or key) can be assigned to operate a lock.



In shared use functionality, the user chooses an available storage unit and operates it with a self-selected access credential (code or key). Once the storage unit is vacated, it becomes available for a different user.

RFID Camlock

features

- Operated by an RFID credential or key
- Managed by Manager Bypass Keys
- All metal lock housing with handle
- Mifare card technology that is adaptable to all existing card systems
- Vertical and horizontal body orientation
- Visual and audible indicators
- Powered by 3 premium AA batteries
- 3-5 year battery life
- 2-year product warranty



recessed mount



inside mount

functionality

Numeris® by Digilock® small profile RFID camlocks function by presenting a valid RFID access credential. The interface also contains a key slot to operate locks with an ADA User Key.



In assigned use functionality, up to 20 access credentials (RFID or key) can be assigned to operate a lock.



In shared use functionality, the user chooses an available storage unit and operates it with a self-selected access credential (RFID or key). Once the storage unit is vacated, it becomes available for a different user.

Rear

power options



integrated battery pack



wired battery pack



3/4" mount with battery pack

lifter cam



flat cam

motor driven

Standard Profile Motor Driven Surface or Recess Mount

Keypad Lock

standard

vertical

horizontal



functionality

Numeris® by Digilock® keypad locks function by entry of a 4-digit code. The interface also contains a key slot to operate locks with an ADA Compliant User Key.

P

In assigned use functionality, up to 20 access credentials (code or key) can be assigned to operate a lock. The user unlocks with an assigned user credential and closes the door to automatically reload.

T

In shared use functionality, the user chooses an available storage unit and operates it with a self-selected access credential (code or key). Once the storage unit is vacated, it becomes available for a different user.

features

- Operated by a user code or key
- Managed by Manager Bypass Keys
- All metal lock housing with or without pull handle
- Standard, vertical, and horizontal body orientation
- Tamper guard
- Visual and audible indicators
- Powered by 4 premium AA batteries
- 3-5 year battery life
- 2-year product warranty

Rear Unit



deadbolt

deadlatch

motor driven

Standard Profile Motor Driven Surface or Recess Mount

RFID Lock

standard

vertical

horizontal



functionality

Numeris® by Digilock® RFID locks function by presenting a valid RFID access credential. The interface also contains a key slot to operate locks with an ADA Compliant User Key.

P

In assigned use functionality, up to 20 access credentials (RFID or key) can be assigned to operate a lock. The user unlocks the lock with an assigned access credential and closes the door to automatically reload.

T

In shared use functionality, the user chooses an available storage unit and operates it with a self-selected access credential (RFID or key). Once the storage unit is vacated, it becomes available for a different user.

features

- Operated by an RFID credential or key
- Managed by Manager Bypass Keys
- All metal lock housing with or without pull handle
- Mifare card technology that is adaptable to all existing card systems
- Standard, vertical, and horizontal body orientation
- Tamper guard
- Visual and audible indicators
- Powered by 4 premium AA batteries
- 3-5 year battery life
- 2-year product warranty

Rear Unit



deadbolt



deadlatch

Standard Profile Cam Recess Mount

Keypad Camlock

features

- Operated by a user code or key
- Managed by Manager Bypass Keys
- All metal lock housing handle
- Vertical body orientation
- Visual and audible indicators
- Powered by 3 premium AA batteries
- 3-5 year battery life
- 2-year product warranty



functionality

Numeris® by Digilock® standard profile keypad camlocks function by entry of a user code and rotation of the handle. The interface also contains a key slot to operate locks with an ADA User Key.



In assigned use functionality, up to 20 access credentials (code or key) can be assigned to operate a lock.



In shared use functionality, the user chooses an available storage unit and operates it with a self-selected access credential (code or key). Once the storage unit is vacated, it becomes available for a different user.

RFID Camlock

features

- Operated by an RFID credential or key
- Managed by Manager Bypass Keys
- All metal lock housing handle
- Mifare card technology that is adaptable to all existing card systems
- Vertical body orientation
- Visual and audible indicators
- Powered by 3 premium AA batteries
- 3-5 year battery life
- 2-year product warranty



functionality

Numeris® by Digilock® standard profile RFID camlocks function by presenting a valid RFID access credential. The interface also contains a key slot to operate locks with an ADA User Key.



In assigned use functionality, up to 20 access credentials (RFID or key) can be assigned to operate a lock.



In shared use functionality, the user chooses an available storage unit and operates it with a self-selected access credential (RFID or key). Once the storage unit is vacated, it becomes available for a different user.

Rear



cam rear

Standard Profile Cam Surface Mount

Key Managed

features



- Operated by a user code or key
- Vertical and horizontal body orientation
- Visual and audible indicators
- Shared or assigned use
- Powered by 2 premium AAA batteries
- 3-5 year battery life
- 2-year product warranty

Numeris® Sola standard profile keypad camlocks function by entry of a user code and rotation of the handle. The interface also contains a key slot to operate locks with an ADA User Key. Lock systems are easily managed with Manager Bypass Key(s) registered to the locks by a unique Programming Key. Lock functionality is set by the Programming Key for either assigned or shared use.

functionality



In assigned use functionality, up to 20 access credentials (code or key) can be assigned to operate a lock.



In shared use functionality, the user chooses an available storage unit and operates it with a self-selected access credential (code or key). Once the storage unit is vacated, it becomes available for a different user.



Management access with Manager Bypass Key

Code Managed

features



- Operated by a user code
- Vertical and horizontal body orientation
- Visual and audible indicators
- Shared or assigned use
- Powered by 2 premium AAA batteries
- 3-5 year battery life
- 2-year product warranty

Numeris® Sola standard profile keypad camlocks function by entry of a user code and rotation of the handle. Lock systems are managed with a Manager Code registered to the locks by a Programming Code. Lock functionality is set by the Programming Code for either assigned or shared use.

functionality



In assigned use functionality a user code is assigned to operate a lock.



In shared use functionality, the user chooses an available storage unit, and then operates it with a self-selected user code. Once the storage unit is vacated, it becomes available for a different user.



Management access with Manager Code

Electronic Keys for Key Managed Locks

programming key



- Initializes new locks
- Registers Manager Bypass Keys
- Overrides user access
- Allows management audit/inspection
- Provides external power

manager key



- Assigns access credential(s)
- Overrides user access
- Allows management audit/inspection
- Provides external power

User credentials

user keys



- Operates the lock instead of User Code
- ADA compliant*

**US Access Board requires 5% of all locks to be ADA compliant.*

user labels



- Provides lock use instructions

RFID credentials



Card



Adhesive Label



Key Fob



Wrist Band



umeris[®]

by Digilock[®]

www.digilock.com

Partner for Croatia:

Star Fitness d.o.o.

Nova Ves 17 ■ Centar Kaptol ■ Zagreb 10000 ■ Croatia

+385 99 5450 425

Digilock[®]

9 Willowbrook ■ Petaluma ■ California 94954 ■ USA

707. 766.6000

Digilock Europe B.V.

1119 MD Schiphol Rijk ■ Douglassingel 47 ■ Amsterdam, The Netherlands

+31 (0)20.303.3060

Digilock Asia Limited

No. 932 Cheung Sha Wan Road ■ Lai Chi Kok, Kowloon, Hong Kong

Flat B, 27th Floor Grandion Plaza No. 932 ■ +852. 277.60.800